



Jax Oleum

Jax Oleum is an incredibly effective and highly durable single coat, oil based, wood stain. It enhances the grain and transforms the look of any natural wood.

It can be applied to any type of uncoated wood, used for both interiors or exterior applications and works successfully with other over coat brands.

Proudly made in South Africa, Jax Oleum is a global green tag certified product with low VOC emissions.



NATURAL (ABOVE)

MAINTENANCE INSTRUCTIONS FOR FLOORING

1. Sweep or vacuum the floor daily and keep as dirt free as possible.
2. After the oil has fully cured ± 14 days, use diluted Jax Wax Cleaner to clean the floor with a damp (not wet) micro fibre mop. Avoid using too much water as this may eventually damage the floor.
3. Apply Jax Maintenance Oil annually or when the wood is looking a little dry, provided a varnish has not been applied.
4. Do not leave liquid spills for any extended time on oiled floors.
5. For high-traffic flooring and to reduce maintenance, apply 2K Matt Varnish 24 hours after oiling. A minimum of 2 coats are required, but 3 to 4 coats are recommended for high traffic areas.

MAINTENANCE OILS



Jax Oleum single coat oil based wood stains



Jax Oleum is a single coat oil-based wood stain, that protects, nourishes and colours wood in one very easy application. With over 70 colours to choose from the possibilities are endless. These are some of our favorite colours.



WOOD STAINS



TIPS AND TRICKS

- Spills should be wiped off as soon as possible.
- Jax Cleaner is recommended to try and remove spill stains.
- Jax Touch-up Markers or Brummer's Wood Filler mixed with Oleum is great for filling scratches and nicks.
- Always test a sample of the Jax Oleum colour on the wood being used. Different timbers and batches of timber affect the colour differently.
- If too much Jax Oleum has been applied and left to dry before the excess has been wiped off, leaving a shiny and tacky finish. Follow this process:
 - With diluted Jax Cleaner and a maroon pad, buff all the excess coating off
 - Wipe the surface with a clean cloth and allow to dry
 - Apply another coat of Jax Oleum and wipe the excess off after a few minutes

GENERAL CLEANING OF WOODEN SURFACES TREATED WITH JAX OLEUM

Do's

- ✓ Use a soft, damp cloth with diluted Jax Cleaner to gently clean oiled surfaces.
- ✓ Jax Soft Wax works well for adding a slight lustre.
- ✓ Use Jax Maintenance Oil annually or when the surface is a little dry. It will nourish the wood and give it a slight sheen.

Don'ts

- ✗ Do not use any solvents to clean the wood (thinners, turpentine, benzene, etc.)
- ✗ Do not use harsh detergents (ammonia-based products, dishwashing liquid, etc.)
- ✗ Do not rub the surface with excessive pressure or an abrasive material.
- ✗ Do not leave liquids for long periods on the surface as they may leave a watermark.

Available profile colour chart

