



THE *Designer* COLLECTION ●
FINfloor™
total floor solution

2026



COVER IMAGE: LUMBERJACK OAK PARADOR LAMINATE FLOOR



FINfloor SA is a member of SAWLFA and the products within this catalogue conform to SAWLFA prescribed standards.

NOTE: The images in this catalogue are a representation only and colours may vary from actual product. It is recommended to see actual samples before placing an order.

CONTENTS

Engineered Oak flooring	pg 4 - 15
Timeless Premium Pre-Finished	pg 6-11
FINOak Unfinished	pg 12-13
Jax Oleum Wood Stains	pg 14-16
Vinyl Flooring	pg 17 - 29
Glue down - Legends II	pg 18-19
Glue down - Legends Herringbone	pg 20- 21
Glue down - Legends Commercial II	pg 22- 23
FINCrete	pg 24- 25
Reflections Wide	pg 26- 27
Mountain View	pg 28- 29
Laminate flooring	pg 30 - 43
AGT - Legacy Dawn Neo	pg 32- 33
AGT - Imaginations	pg 34-35
AGT - Foreign Shores	pg 36-37
Parador	pg 38- 39
Gryfino Forest Premium	pg 40- 41
Authentic Herringbone	pg 42-43

Icon Key

-  Four sided, painted V-groove
-  Square edge - for a seamless floor with no visible joins
-  Four sided bevelled edge
-  Four sided painted micro bevelled edge
-  CMP - For engineered wood flooring we are able to stain the solid Oak profiles to match the floor
-  CCP - For vinyl and laminate flooring we have a standard selection of recommended wrapped aluminium or MDF Colour complementing profiles available

OAK FLOORING

OAK WOOD FLOORING

Crafted from premium European Oak, Timeless Premium combines timeless natural beauty with exceptional durability and performance. Available in various sizes, thicknesses, and finishes, each plank showcases the unique grain patterns, character, and warmth that only real wood can provide.

Our pre-finished range comes standard with a lightly brushed finish and a UV-cured lacquer finish applied through a multi-stage UV tunnel process, enhancing the natural texture of the wood while providing long-lasting protection. The unfinished range can be customised with a variety of treatments, staining, and finishing options to achieve a contemporary, aged, or weathered look.

Timeless Premium delivers lasting performance, timeless appeal, and exceptional value. Regardless of the range, size, thickness, or finish selected, every Timeless Premium floor is backed by a 25-year residential warranty, reflecting our commitment to quality, craftsmanship, and long-term performance.

5 Benefits of Engineered Oak Wood Flooring:




3-Layer Construction for Superior Stability: Built with a premium 3-layer construction comprising a European oak wear layer, poplar core, and poplar backing, providing outstanding dimensional stability and helping to minimise warping, shrinking, and expansion.

Premium European Sawn Oak Wear Layer: Crafted from genuine 3mm and 4mm oak wear layer. Each plank showcases authentic grain patterns, natural character, and timeless beauty, bringing warmth and sophistication to any interior.

Enhanced Moisture Resistance: The engineered construction offers improved resistance to moisture and humidity compared to solid wood, making it suitable for a wider range of environments and climate conditions.

Flexible Installation Options: Available for floating or glue-down installation, FINOak Atelier provides versatility across a variety of residential and commercial applications.

Long-Lasting & Refinishable: Featuring a genuine oak wear layer, Timeless Premium can be sanded and refinished over time, helping to restore its appearance and extend the lifespan of your floor for years to come.



PROJECT SHOWCASE


A showcase of Timeless premium engineered hardwood flooring, expertly installed throughout this stunning upmarket home in bringing timeless elegance, warmth, and natural character to every space.

TIMELESS PREMIUM



MOSER (ABOVE)

14/3MM PRE-FINISHED OAK FLOORING



HUBLOT- 

 CMP - Custom stain solid Oak

PRODUCT INFORMATION AND WARRANTY

Plank Dimensions: 14/3 x 190 x 1900mm
Top layer: 3mm European Sawn oak
Core: 3-ply Poplar core
Locking system: Valinge 5G
Backing: 1mm Poplar timber
Planks per box: 8 planks

Factory finishing process
Smoked Oak, UV Lacquer, Brushed
UV-cured finishing (UV tunnel) with five coats of primer and two coats of topcoat

Coverage: 2.888 m²
Expansion gap: 12-15mm is required
Installation: Floating or Glue Down
Warranty: 25 years limited manufacturer's warranty



MOSER- 

 CMP - Custom stain solid Oak

Plank Dimensions: 14/3 x 190 x 1900mm
Top layer: 3mm European Sawn oak
Core: 3-ply Poplar core
Locking system: Valinge 5G
Backing: 1mm Poplar timber
Planks per box: 8 planks

Factory finishing process
Invisible UV Lacquer, Brushed
UV-cured finishing (UV tunnel) with five coats of primer and two coats of topcoat

Coverage: 2.888 m²
Expansion gap: 12-15mm is required
Installation: Floating or Glue Down
Warranty: 25 years limited manufacturer's warranty



CHOPARD- 

 CMP - Custom stain solid Oak

Plank Dimensions: 14/3 x 190 x 1900mm
Top layer: 3mm European Sawn oak
Core: 3-ply Poplar core
Locking system: Valinge 5G
Backing: 1mm Poplar timber
Planks per box: 8 planks

Factory finishing process
Smoked Oak, UV Lacquer, Brushed
UV-cured finishing (UV tunnel) with five coats of primer and two coats of topcoat

Coverage: 2.888 m²
Expansion gap: 12-15mm is required
Installation: Floating or Glue Down
Warranty: 25 years limited manufacturer's warranty



TIMELESS PREMIUM



PIAGET (ABOVE)

15/4MM PRE-FINISHED OAK FLOORING



BLANCPAIN - 


 CMP - Custom stain solid Oak

PRODUCT INFORMATION AND WARRANTY

Plank Dimensions: 15/4 x 190 x 1900mm
Top layer: 4mm European Sawn oak
Core: 3-ply Poplar core
Locking system: Valinge 5G
Backing: 1mm Poplar timber
Packaged: 8 planks

Factory finishing process
Smoked Oak, Invisible UV Lacquer, Brushed
UV-cured finishing (UV tunnel) with five coats of primer
and two coats of topcoat

Coverage: 2.888 m²
Expansion gap: 12-15mm is required
Installation: Floating or Glue Down
Warranty: 25 years limited manufacturer's warranty



PIAGET - 

 CMP - Custom stain solid Oak

Plank Dimensions: 15/4 x 190 x 1900mm
Top layer: 4mm European Sawn oak
Core: 3-ply Poplar core
Locking system: Valinge 5G
Backing: 1mm Poplar timber
Packaged: 8 planks

Factory finishing process
Smoked Oak, Natural UV Lacquer, Brushed
UV-cured finishing (UV tunnel) with five coats of primer
and two coats of topcoat

Coverage: 2.888 m²
Expansion gap: 12-15mm is required
Installation: Floating or Glue Down
Warranty: 25 years limited manufacturer's warranty



NOMOS - 

 CMP - Custom stain solid Oak

Plank Dimensions: 15/4 x 190 x 1900mm
Top layer: 4mm European Sawn oak
Core: 3-ply Poplar core
Locking system: Valinge 5G
Backing: 1mm Poplar timber
Packaged: 8 planks

Factory finishing process
Invisible UV Lacquer, Brushed
UV-cured finishing (UV tunnel) with five coats of primer
and two coats of topcoat

Coverage: 2.888 m²
Expansion gap: 12-15mm is required
Installation: Floating or Glue Down
Warranty: 25 years limited manufacturer's warranty



TIMELESS PREMIUM



BREGUET (ABOVE)

15/4MM PRE-FINISHED OAK FLOORING



GLASHUTTE - BEV

CMP - Custom stain solid Oak

PRODUCT INFORMATION AND WARRANTY

Plank Dimensions: 15/4 x 260 x 2200mm
Top layer: 4mm European Sawn oak
Core: 3-ply Poplar core
Locking system: Valinge 5G
Backing: 1mm Poplar timber
Planks per box: 6 planks

Factory Finishing process
Smoked Oak, UV Lacquer, Brushed
UV-cured finishing (UV tunnel) with five coats of primer
and two coats of topcoat

Coverage: 3.432 m²
Expansion gap: 12-15mm is required
Installation: Floating or Glue Down
Warranty: 25 years limited manufacturer's warranty



VACHERON CONSTANTIN - BEV

CMP - Custom stain solid Oak

Plank Dimensions: 15/4 x 260 x 2200mm
Top layer: 4mm European Sawn oak
Core: 3-ply Poplar core
Locking system: Valinge 5G
Backing: 1mm Poplar timber
Planks per box: 6 planks

Factory Finishing process
Smoked Oak, Natural UV Lacquer, Brushed
UV-cured finishing (UV tunnel) with five coats of primer
and two coats of topcoat

Coverage: 3.432 m²
Expansion gap: 12-15mm is required
Installation: Floating or Glue Down
Warranty: 25 years limited manufacturer's warranty



BREGUET - BEV

CMP - Custom stain solid Oak

Plank Dimensions: 15/4 x 260 x 2200mm
Top layer: 4mm European Sawn oak
Core: 3-ply Poplar core
Locking system: Valinge 5G
Backing: 1mm Poplar timber
Planks per box: 6 planks

Factory Finishing process
Invisible UV Lacquer, Brushed
V-cured finishing (UV tunnel) with five coats of primer
and two coats of topcoat

Coverage: 3.432 m²
Expansion gap: 12-15mm is required
Installation: Floating or Glue Down
Warranty: 25 years limited manufacturer's warranty





FINOAK HERRINGBONE INSTALLATION

FINOAK UNFINISHED PLANK OPTIONS



FINOAK UNFINISHED 190 Rustic

Available Plank Dimensions:
15/4 x 190 x 1900mm
Packaged: 8 Planks
Top Face: 4mm Unfinished European Sawn oak
Core: 10mm 3-ply Poplar core with a 1mm Poplar back

Coverage: 2.888 m²
Expansion gap: 12-15mm is required
Installation: Floating or Glue Down
Warranty: 25 years limited manufacturer's warranty

UNFINISHED OAK 190 - 

 CMP - Custom stain solid Oak



FINOAK UNFINISHED 260 Rustic

Available Plank Dimensions:
15/4 x 260 x 2200mm
Packaged: 6 planks
Top Face: 4mm Unfinished European Sawn oak
Core: 10mm 3-ply Poplar core with a 1mm Poplar back

Coverage: 3.432 m²
Expansion gap: 12-15mm is required
Installation: Floating or Glue Down
Warranty: 25 years limited manufacturer's warranty

UNFINISHED OAK 260 - 

 CMP - Custom stain solid Oak



FINOAK HERRINGBONE Rustic

Available Plank Dimensions:
15/4 x 125 x 600mm
Packaged: 16 Planks
Top Face: 4mm lightly sanded Unfinished European Sawn oak
Core: 10mm Poplar

Coverage: 1.20 m²
Expansion gap: 5-10mm
Installation: Glue Down
Warranty: 25 years limited manufacturer's warranty

UNFINISHED HERRINGBONE OAK RUSTIC - 

 CMP - Custom stain solid Oak

NOTE!
The unfinished range can be customised with optional surface treatments, including wetting, pre-colouring, brushing, sanding, and buffing (available at an additional charge).

JAX OLEUM OIL BASED WOOD STAIN - SELECT YOUR COLOUR












Single Coat Oil-Based Wood Stain

Jax Oleum is an incredibly effective and durable single coat, oil based wood stain that protects, nourishes and colours wood in one very easy application.

It can be applied to any type of uncoated wood, used for both interior or exterior applications and works successfully with other over coat brands.

Proudly made in South Africa, Jax Oleum is readily available and has low VOC emissions. With over 80 colours to choose from the possibilities are endless. These are some of our favorite trending colours.



		
Extra Extra White	Extra White	Bone
		
Natural	Light Grey	Grey
		
Wheat	Dark Wheat	Sand
		
Mist Grey	Corn Silk	Java
		
Storm Grey	Studio Grey	Sofa Grey
		
Clear	Cherry	Gun Metal
		
Dark Blue Grey	Sofa Storm	Ebony
		
Mahogany	Extra Dark Mahogany	Brown
		
Black	Extra Extra Black	2K Sealer



NOTE! Although it will increase the final cost, we recommend you use a 2K sealer with any oiled finish



FINOAK 260 UNFINISHED WITH JAX OLEUM CUSTARD STAIN + 2K SEALER (ABOVE)



VINYL FLOORING

VINYL FLOORING

Durable, water-resistant, and easy to maintain, vinyl flooring is ideal for both residential and commercial spaces. Manufactured using a hot-pressed process and 100% virgin materials, FINfloor vinyl flooring offers superior stability, performance, and comfort underfoot, with a wide range of authentic wood and contemporary designs to suit any interior.

Top 5 Reasons to Choose Vinyl Flooring

Exceptional Durability: Features a dual-protection system that pairs a robust wear layer with a factory-applied double coat of SUPER UV coating, providing outstanding resistance to scratches, stains, and everyday wear.

100% Topical Waterproof: Designed to handle spills and everyday moisture with ease, making it an ideal flooring solution for kitchens, bathrooms, living areas, and busy family homes.

Low Maintenance: Easy to clean and maintain, requiring only regular sweeping and occasional damp mopping to keep floors looking their best.

Realistic Wood & Stone Designs: Advanced embossing and high-definition décor layers replicate the authentic look and texture of natural wood or stone while offering the practical benefits of vinyl flooring.

Comfort & Quiet Underfoot: Provides a warmer, quieter, and more comfortable walking surface than many hard flooring alternatives, making it ideal for both residential and commercial spaces.



PROJECT SHOWCASE

Seamless installation of our Legends II Commercial Democritus Glue Down Vinyl flooring flowing beautifully through the open-plan living and dining areas, up the staircase, and into the first-floor bedrooms





LEGENDS II GLUE DOWN VINYL



HOUSTON - WOOD EMBOSS - 

 CCP - Beach Sand Oak



FRANKLIN - WOOD EMBOSS - 

 CCP - Sand Oak / Sandstone



PRINCE - WOOD EMBOSS - 

 CCP - Mist Oak / Beach Sand Oak



FLOYD - WOOD EMBOSS - 

 CCP - Chestnut



STING - WOOD EMBOSS - 

 CCP - Wheat



ADAMS - WOOD EMBOSS - 

 CCP - Washed Oak

THE *Designer* COLLECTION

Legends II



Super UV Protect Wear Layer

With a double layer of UV protect wear layer that increases the scratch, wear and stain resistance of the product

PRODUCT INFORMATION AND WARRANTY

Plank Dimensions: 1220 x 228.6 x 2mm

Packaged: 5.58sqm - 20 pieces / box

Edge: Micro Bevel

Coverage: Glue down installation - seamless floor application

Hot-Pressed LVT (Made from virgin materials)

Wear Layer: 0.3mm UV resistant wear layer

Warranty: 20 years heavy domestic / 5 years light commercial grade


Technical specifications	EN Norms	Result
Wear resistance	EN660-1/2	Group T
Slip resistance	EN12893	Class DS
Toxic element test	EN71-3	Pass, Not Toxic - Doesn't contain heavy metals or formaldehyde
Fire classification	EN ISO11925-2 EN13501-1 EN ISO 9239-1	Bf1-S1



INTERNATIONAL CERTIFICATION



EN ISO 10582 - Fit for use classification





LEGENDS HERRINGBONE
GLUE DOWN VINYL



PHOENIX - WOOD EMOSS - BEV

CCP - Mist Oak / Beach Sand Oak



MEDUSA - WOOD EMOSS - BEV

CCP - Washed Oak / Beach Sand Oak



CENTAUR - WOOD EMOSS - BEV

CCP - Wheat

THE *Designer*
COLLECTION

Legends Herringbone



Super UV Protect Wear Layer


With a double layer of UV protect wear layer that increases the scratch, wear and stain resistance of the product

PRODUCT INFORMATION AND WARRANTY

Plank Dimensions: 590 x 118 x 2.0mm
Packaged: 2.646 sqm - 38 pieces / box
Edge: Micro Bevel

Coverage: Glue down installation - seamless floor application
Hot-Pressed LVT (Made from virgin materials)
Wear Layer: 0.3mm UV resistant wear layer
Warranty: 20 years heavy domestic / 5 years light commercial grade

Technical specifications	EN Norms	Result
Wear resistance	EN660-1/2	Group T
Slip resistance	EN12893	Class DS
Toxic element test	EN71-3	Pass, Not Toxic - Doesn't contain heavy metals or formaldehyde
Fire classification	EN ISO11925-2	
	EN13501-1	Bf1-S1
	EN ISO 9239-1	



INTERNATIONAL CERTIFICATION



EN ISO 10582 - Fit for use classification



Heavy Domestic
(Class 23)

Light Commercial
(Class 31)



LEGENDS COMMERCIAL II
GLUE DOWN VINYL



PYTHAGORAS - WOOD EMBOSS - P.BEV

CCP - Mist Oak



EPICURUS - EIR - P.BEV

CCP - Mist Oak / Washed Oak



SOCRATES - WOOD EMBOSS - P.BEV

CCP - Wheat / Mist Oak



DEMOCRITUS - WOOD EMBOSS - P.BEV

CCP - Mist Oak



THALES - EIR - P.BEV

CCP - Meva Oak



DIOGENES - WOOD EMBOSS - P.BEV

CCP - Washed Oak



Legends Commercial II



Super UV Protect Wear Layer

With a double layer of UV protect wear layer that increases the scratch, wear and stain resistance of the product

PRODUCT INFORMATION AND WARRANTY

Plank Dimensions: 1526 x 230 x 2.5mm
Packaged: 4.914sqm - 14 pieces / box
Edge: Painted Bevel

Coverage: Glue down installation - seamless floor application
Hot-Pressed LVT (Made from virgin materials)
Wear Layer: 0.5mm Super UV wear layer
Warranty: Lifetime domestic / 10 years general commercial grade


Technical specifications	EN Norms	Result
Wear resistance	EN660-1/2	Group T
Slip resistance	EN12893	Class DS
Toxic element test	EN71-3	Pass, Not Toxic - Doesn't contain heavy metals or formaldehyde
Fire classification	EN ISO11925-2 EN13501-1 EN ISO 9239-1	Bf1-S1

INTERNATIONAL CERTIFICATION



EN ISO 10582 - Fit for use classification








CEMENTITIOUS GLUE DOWN

With a SUPER UV protect wear layer that increases the scratch, wear and stain resistance of the product

PRODUCT INFORMATION AND WARRANTY

Plank Dimensions: 908.4 x 451.2 x 2.5mm
Packaged: 3.279 sqm - 8 pieces / box
Edge: Micro Bevel

Coverage: Glue down installation - seamless floor application
Hot-Pressed LVT (Made from virgin materials)
Wear Layer: 0.55mm Super UV wear layer
Warranty: 30 years heavy domestic / 10 years heavy commercial grade



Technical specifications	EN Norms	Result
Scratch appearance assessment	EN14565:2004(E)	≥ 20N Discontinuous scratch marks
Slip resistance	EN12893	Class DS
Toxic element test	EN71-3	Pass, Not Toxic - Doesn't contain heavy metals or formaldehyde
Fire classification	EN ISO11925-2 EN13501-1 EN ISO 9239-1	Bfl-S1

FLINT (ABOVE)

INTERNATIONAL CERTIFICATION






EN ISO 10582 - Fit for use classification

Heavy Commercial (Class 33)

FINCRETE GLUE DOWN VINYL



ASH - CORAL FINISH -   CCP - Silver



SMOKE - CORAL FINISH -   CCP - Silver



FLINT - CORAL FINISH -   CCP - Silver



Reflections Wide

NATRON (ABOVE)

PRODUCT INFORMATION AND WARRANTY

Plank Dimensions: 1230 x 228 x 5.5mm
 Packaged: 2.24sqm - 8 pieces / box

Coverage: 10 x 15 lin.m in length / width
 Expansion gap: 10mm
 Core: Rigid SPC core, with 1mm IXPE underlay attached to the back
 Wear Layer: 0.3mm Super UV wear layer
 Warranty: 20 years heavy domestic / 5 years moderate commercial grade



Super UV Protect Wear Layer

With a double layer of UV protect wear layer that increases the scratch, wear and stain resistance of the product

Technical specifications	EN Norms	Result
Wear resistance	EN 660-2:1999/ EN 549-2011	Group T
Slip resistance	EN 1404+AC	Class DS
Formaldehyde emissions	EN 1404:2004 + AC:2006	Class E1
Fire classification	EN 13501-1 EN1404 + AC	Bfl-S1



REFLECTIONS WIDE




VICTORIA - EIR - BEV

CCP - Mist Oak/ Washed Oak



KINGSHAM - ANTIQUE WOOD TEXTURE - BEV

CCP - Mist Oak



NATRON - ANTIQUE WOOD TEXTURE - BEV

CCP - Mist Oak



TURKANA - EIR - BEV

CCP - Meva Oak



PICHOLA - ANTIQUE WOOD TEXTURE - BEV

CCP - Mist Oak




ANTIPAR - ANTIQUE WOOD TEXTURE - BEV

CCP - Beach Sand Oak / Wheat



BAIKAL - ANTIQUE WOOD TEXTURE - BEV

CCP - Silver



ERIE - ANTIQUE WOOD TEXTURE - BEV

CCP - Sand Oak / Bronze

INTERNATIONAL CERTIFICATION







Mountain View

LOGAN (ABOVE)

PRODUCT INFORMATION AND WARRANTY

Plank Dimensions: 1500 x 228 x 6.5mm
 Packaged: 2.052sqm - 6 pieces / box

Coverage: 15 x 15 lin.m in length / width
 Expansion gap: 10mm
 Core: Rigid SPC core, with 1.5mm IXPE underlay attached to the back
 Wear Layer: 0.5mm Super UV wear layer
 Warranty: 30 years heavy domestic / 10 years general commercial grade



Super UV Protect Wear Layer

With a double layer of UV protect wear layer that increases the scratch, wear and stain resistance of the product

Technical specifications	EN Norms	Result
Wear resistance	EN 660-2	Group T
Slip resistance	EN 1404	Class DS
Formaldehyde emissions	EN 14041	Class E1
Fire classification	EN 13501-1 EN1404	Bf1-S1



MOUNTAIN VIEW



GRANDE MOTTE - ANTIQUE WOOD - 

 CCP - Sand Oak / Silver



LHOTSE - RANDOM EIR - 

 CCP - Beach Sand Oak / Silver



ANNAPURNA - RANDOM EIR - 

 CCP - Mist Oak / Wheat



BROAD PEAK - EIR - 

 CCP - Mocca



ALCAZABA - ANTIQUE WOOD - 

 CCP - Mocca



LOGAN - RANDOM EIR - 

 CCP - Chestnut / Meva Oak

INTERNATIONAL CERTIFICATION



LAMINATE FLOORING

LAMINATE FLOORING

Laminate flooring is an affordable, durable, and low-maintenance alternative to hardwood. Manufactured from high-density wood fibres, it features an aluminium oxide wear layer for excellent resistance to scratches, impacts, stains, and UV fading.

Top 5 Reasons to Choose Laminate Flooring

Cost Effective: Enjoy the authentic look of real wood at a fraction of the cost.


Durable: Scratch, impact, and UV-resistant perfect for active households.

Low Maintenance: The stain-resistant surface makes wiping up spills and marks effortless.

Water Resistant: Advanced locking systems and moisture-resistant technologies help protect floors from everyday spills for up to 72 hours.

Quick Installation: Modern click-lock systems allow for fast, glue-free installation over most existing subfloors.

Advances in laminate technology have made today's floors almost indistinguishable from real wood. FINfloor offers embossed and Embossed-in-Register (EIR) finishes, with selected ranges featuring painted V-grooves for an authentic hardwood appearance.



PROJECT SHOWCASE

Parador Lumberjack Oak laminate flooring brings premium German-engineered performance and style to this luxury home, seamlessly flowing through the kitchen, lounge, dining areas, and bedrooms. With up to 48-hour water resistance, microscratch protection, antibacterial properties, and a low-swelling core, it's built for modern living.



THE *Designer*
COLLECTION

Legacy Dawn Neo

REVOLUTION (ABOVE)

PRODUCT INFORMATION AND WARRANTY

Plank Dimensions: 1200 x 191 x 8mm

Packaged: 2.292sqm - 10 pieces / box

Coverage: 9 x 9 lin.m in length / width

Expansion gap: 10/12mm

Core: 8mm HDF. Core with an average board density > 860-880 kg/m³

Fit for use grading: AC3/W31 – Moderate commercial / Heavy domestic

Warranty: 15 years heavy domestic / 5 years moderate commercial use

VIVA finish

Sq.E

Legacy Dawn Neo with Viva finish that replicates the feel and texture of real wood and a square edge that creates a seamless flooring pattern with no visible plank lines

Technical specifications	Standard	Characteristic/Result
Wear resistance	EN 13329	AC3/W31
Stain resistance	EN 13329	Rating 5 - no visible change
Swelling test	EN 13329	Average swelling ≤ 18%
Light fastness	EN 13329	Grade 6 - No discolouration
Impact resistance	EN 13329	IC2



SMITH - VIVA FINISH -

CCP - White/ Silver



MATRIX - VIVA FINISH -

CCP - Sand Oak



REVOLUTION - VIVA FINISH -

CCP - Mist Oak / Wheat




BALLARD - VIVA FINISH -

CCP - Meva Oak / Mist Oak



TRINITY - VIVA FINISH -

CCP - Mist Oak



MORPHEUS - VIVA FINISH -

CCP - Mocca / African Oak





WINFREY (ABOVE)

PRODUCT INFORMATION AND WARRANTY

Plank Dimensions: 1200 x 191 x 8mm
 Packaged: 1.83sqm - 8 pieces / box
 Coverage: 10 x 12 lin.m in length / width
 Expansion gap: 10/12mm
 Core: 8mm HDF. Core with an average board density > 850-900 kg/m³
 Fit for use grading: AC4/W32 – General commercial / Heavy domestic
 Warranty: 20 years heavy domestic / 5 years general commercial use

Technical specifications	Standard	Characteristic/Result
Wear resistance	EN 13329	AC4/W32
Stain resistance	EN 13329	Rating 5 - no visible change
Swelling test	EN 13329	Average swelling ≤ 18%
Light fastness	EN 13329	Grade 6 - No discolouration
Impact resistance	EN 13329	IC2



WILLIAMS - WOOD EMBOSSED - 

 CCP - Sand Stone



WINTOUR - WOOD EMBOSSED - 

 CCP - Mist Oak / Meva Oak



HEPBURN - WOOD EMBOSSED - 

 CCP - Washed Oak



WINFREY - WOOD EMBOSSED - 

 CCP - Mist Oak



LOPEZ - WOOD EMBOSSED - 

 CCP - African Oak



MONROE - WOOD EMBOSSED 

 CCP - Sand Oak/ Sand Stone





Foreign Shores

SANREMO (ABOVE)

PRODUCT INFORMATION AND WARRANTY

Plank Dimensions: 1380 x 246 x 8mm
 Packaged: 2.376 sqm - 7 pieces / box


Coverage: 10 x12 lin.m in any direction
 Expansion gap: 10/12mm
 Core: 8mm HDF Core with an average board density > 850-900 kg/m³
 Fit for use grading: AC4/W32 – General commercial / Heavy domestic
 Warranty: 20 years heavy domestic / 5 years general commercial use

Technical specifications	Standard	Characteristic/Result
Wear resistance	EN 13329	AC4/W32
Stain resistance	EN 13329	Rating 5 - no visible change
Swelling test	EN 13329	Average swelling ≤ 18%
Light fastness	EN 13329	Grade 6 - No discolouration
Impact resistance	EN 13329	IC1



TRIESTE - MOORLAND FINISH - 

 CCP - Mist Oak / Wheat



TERMOLI - MOORLAND FINISH - 

 CCP - Silver / Wheat



RIMINI - MOORLAND FINISH 

 CCP - African Oak / Bronze



POSTIANO - MOORLAND FINISH - 

 CCP - Chestnut



SANREMO - MOORLAND FINISH - 

 CCP - Mist Oak / Sandstone



CEFALU - MOORLAND FINISH - 

 CCP - Mocca



PARADOR

OAK EVERGLADE NATURAL (ABOVE)

PRODUCT INFORMATION AND WARRANTY

Plank Dimensions: 2200 x 243 x 9 mm
Packaged: 2.673 sqm - 5 pieces / box

Coverage / Expansion: Up to 12 x 8m
Expansion gap: 10 –15mm
Core: Aqua-Proof core board with edge impregnation for swell protection
Fit for Use: Class 23 / Class 33 – Heavy Domestic / Commercial Use
Warranty: Lifetime Residential / 10-Year Commercial
Surface: Natural Matt finish




SafeLock® PRO click connection

SafeLock® PRO is a high-precision click system that locks planks together securely without glue, ensuring faster installation, tighter joints, long-term stability, and improved water resistance at the joints.

Technical specifications	Standard	Characteristic/Result
Wear resistance	EN EN 438-2	ACS/W33 - V4
Stain resistance	ISO 24336	Category 1+2: Level 5 Category 3: Level 4/5
Swelling test	EN 13329	ISO 24336 – Average swelling ≤ 12%
Light fastness	EN ISO 4892-2	Grey Scale ≥ 4 (No significant discolouration)
Impact resistance	EN 17368/ EN 13329	(Small Ball): ≥ 70 mm / (Large Ball): ≥ 1000 mm

PARADOR



OAK SKYLINE PEARL-GREY - CHATEAU PLANK - CCP - Sandstone



OAK CASTELL LIMED - CHATEAU PLANK - CCP - Mist Oak



OAK LOFT PURE - CHATEAU PLANK - CCP - Mist Oak / Washed Oak



OAK AVANT SANDED - CHATEAU PLANK - CCP - Mist Oak



LUMBERJACK- CHATEAU PLANK - CCP - Meva Oak



EVERGLADE - CHATEAU PLANK- CCP - Chestnut/ Meva Oak



THE *Designer*
COLLECTION

Gryfino Forest Premium

LANTANA (ABOVE)

PRODUCT INFORMATION AND WARRANTY

Plank Dimensions: 2200 x 236 x 12mm
Packaged: 2.596sqm - 5 pieces / box

Coverage: 20 x 20 lin.m in length / width
Wxpansion gap: 12/15mm
Core: Water-resistant Compact Core + with average board density > 950 kg/m³
Fit for use grading: AC5/W33 – Heavy commercial / Heavy domestic
Warranty: 30 years heavy domestic / 10 years heavy commercial use

Black Compact Core +

Black HDF Compact Core + is 72 hours topically water resistant with a low 5% swell rate after full board immersion making these planks more resistant to moisture damage.

Technical specifications	Standard	Characteristic/Result
Wear resistance	EN 13329	AC5/W33 - V4
Stain resistance	EN 13329	Rating 5 - no visible change
Swelling test	EN 13329	Average swelling ≤ 5%
Light fastness	EN 13329	Grade 6 - No discolouration
Impact resistance	EN 13329	IC2



GRYFINO FOREST PREMIUM



STARGAZER - RANDOM EIR - V4

CCP - Meva Oak / Chestnut




CERNUUM - RANDOM EIR - V4

CCP - Meva Oak / Washed Oak



EVERGREEN- EIR - V4

CCP - Mist Oak / Sandstone



BRUNELLO - RANDOM EIR - V4

CCP - Sandstone / Mist Oak



EVENING SUN - RANDOM EIR - V4

CCP - Washed Oak / Meva Oak



LANTANA - EIR - V4

CCP - Chestnut / Bronze



SUN BLEACHED OAK (ABOVE)

PRODUCT INFORMATION AND WARRANTY


Plank Dimensions: 600 x 100 x 12mm
 Packaged: 1.32sqm - 22 pieces / box, each box includes both A and B planks (not sold separately) and is suitable for floating or glue-down installation

Coverage: 12 x 12 lin.m in length / width
 Expansion gap: 10/12mm
 Core: 12mm HDF Core with an average board density > 880/890 kg/m³
 Fit for use grading: AC4/W32 – General commercial / Heavy domestic
 Warranty: 25 years heavy domestic / 5 years general commercial use

Technical specifications	Standard	Characteristic/Result
Wear resistance	EN 13329	AC4/W32 - V4
Stain resistance	EN 13329	Rating 5 - no visible change
Swelling test	EN 13329	Average swelling < 10%
Light fastness	EN 13329	Grade 6 - No discolouration
Impact resistance	EN 13329	IC2



AUTHENTIC HERRINGBONE




SUN BLEACHED OAK - MATT WOOD GRAIN - V4

CCP - Meva Oak / Washed Oak



SUN BLEACHED OAK (ABOVE)

AUTHENTIC HERRINGBONE LAYING PATTERNS



Head Office DURBAN
Unit 1, Falcon View, 7 Mountain Ridge Road,
Mountain Ridge, KwaZulu-Natal, 3610